

NOTICE**Quotation No:6764/18**

Sealed quotations are invited for the supply of the materials specified in the schedule attached below/overleaf. The rates quoted should be for delivery of the articles at the place mentioned below the schedule. The necessary superscription, due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted below. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or 'subject to prior sale' condition are liable to be rejected.

The prices quoted should be inclusive of all taxes,GST etc. which are or may become payable by the contractor under existing or future law or rules of the country of origin/supply or delivery during the course of execution of the contract.

Special conditions, if any, printed on the quotation sheets of the tenders or attached with the tender will not be applicable to the contract unless they are expressly accepted in writing by the purchaser.

Superscription : Sanitary Napkin Incinerators
Quotation No : 6764/18
Due date and time for receipt of quotations : 02/02/2018; 2pm
Date and Time for opening Quotation : 02/02/2018; 3pm
Date up to which the rates are to remain firm for : 31/03/2018
acceptance
Designation and address of Officer whom the : Principal
quotation is to be addressed Government Engineering College, Barton Hill

Place:Thiruvananthapuram

Date:20.01.2018

Details of items	Quantity
1. Sanitary Napkin Incinerators	3

Place:Thiruvananthapuram

Government Engineering College, Barton Hill

Date:20.01.2018

**Forwarded / By Order
Junior Superintendent**

Copy to

- 1.Smt Jiji mole M,Computer Programmer
- 2.Sri.Rakesh P,Warden Hostel

S.No	Details	SPECIFICATION
1	TYPE	Wall mounted, Autocut-off, Electrically safe Ceramic Insulated
2	CAPACITY/CYCLE	15 to 20 pads/cycle
2A	CAPACITY/DAY	135 to 180 pads/day
3	CYCLE TIME	1 hr
4	HOUSING-EXTERNAL	CRCA steel of 1.2mm thickness
5	DIMENSIONS(WxDxH)	300X250X600mm
6	WEIGHT	20kg
7	INSULATION	Thermal ceramic sheet with glass wool of 4-5mm thick
8	WATTAGE	1000 Watt
9	POWER SAVER	Auto-cutoff provided
10	RESIDUE ASH	Less than 1gm per cycle
11	TEMPERATURE CUT-OFF	Yes with LED Display
12	HEATER	Ceramic Heater 1000 Watt
13	FLUE GAS PIPE PROVIDED	Yes 2 mtrs flexible with clamp
14	SAFETY MCB PROVIDED	Circuit breaker