Corrigendum

The life cycle of the Tender ID - 2023_DTE_580503_1 and Tender Reference Number - 02/2023-24/P2/4162/22/GECBH/SN expired on 26/06/23. In order to participate sufficient number of the bids, the bid may be Extended up to 07/07/2023.

PRINCIPAL

Approval Valid

Digitally Approved By Dr. Shiny G

Date: 24.06.2023 Reason: Approved





Bid Number/बोली क्रमांक (बिड संख्या): GEM/2023/B/3607140 Dated/दिनांक : 23-06-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-07-2023 17:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	08-07-2023 17:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Kerala	
Department Name/विभाग का नाम	Higher Education Department Kerala	
Organisation Name/संगठन का नाम	Directorate Of Technical Education	
Office Name/कार्यालय का नाम	Office	
Total Quantity/कुल मात्रा	1	
ltem Category/मद केटेगरी	Server (Q2)	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)	
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No	
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Past Performance/विगत प्रदर्शन	80 %	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	

Bid Details/बिड विवरण	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

	l.,
। Required/आवश्यकर्ता	No

Splitting/विभाजन

Bid splitting not applied./बोली विभाजन लागू नहीं किया गया

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Server (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Architecture	CISC(X86), RISC, EPIC Or higher
	Processor Make	Intel
	Number of Cores per Processor	12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 48 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Processor Base Frequency (GHz)	2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मुल्य
Specification		Intel Xeon Silver 4112, Intel Xeon Gold 5122, Intel Xeon Gold 6126, Intel Xeon Gold 6126F, Intel Xeon Gold 6126F, Intel Xeon Gold 6136T, Intel Xeon Gold 6138F, Intel Xeon Gold 6148P, Intel Xeon Gold 6138F, Intel Xeon Gold 6149P, Intel Xeon Gold 6148F, Intel Xeon Gold 6149P, Intel Xeon Gold 6149P, Intel Xeon Gold 6150P, Intel Xeon Gold 6154P, Intel Xeon Gold 6150P, Intel Xeon Gold 6154P, Intel Xeon Silver 4210P, Intel Xeon Silver 4214P, Intel Xeon Silver 4215P, Intel Xeon Gold 5215P, Intel Xeon Gold 5215P, Intel Xeon Gold 5215P, Intel Xeon Gold 5215P, Intel Xeon Gold 5218P, Intel Xeon Gold 5218P, Intel Xeon Gold 5218P, Intel Xeon Gold 6240P, Intel Xeon Platinum 8256P, Intel Xeon Platinum 826P, Intel Xeon Platinum 8280P, Intel Xeon F-2234P, Intel Xeon E-2234P, Intel Xeon Gold 6250P, Intel Xeon Gold 6250P, Intel Xeon Gold 6250P, Intel Xeon Gold 6250P, Intel Xeon Gold 6240P, Intel Xeon Gold 6250P, Intel Xeon Gold 6250P, Intel Xeon Gold 6250P, Intel Xeon Gold 6240P, Intel Xeon Gold 6250P, Intel Xeon Gold 6250P, Intel Xeon Gold 6250P, Intel Xeon Gold 6240P, Intel Xeon Gold 6238P, Intel Xeon Platinum 8360P, Intel Xeon Platinum 8360P, Intel Xeon Platinum 8360P, Intel Xeon Platinum 8368P, Intel Xeon Platinum 8358P, Intel Xeon Platinum 8358P, Intel Xeon Platinum 8358P, Intel Xeo
		Platinum 8352S, Intel Xeon Gold 6348, Intel Xeon Gold 6338, Intel Xeon Gold 6338N, Intel Xeon Gold 6342, Intel Xeon Gold 6330, Intel Xeon Gold 5320, Intel Xeon Gold 6330N, Intel Xeon Gold 6354, Intel Xeon Gold 6346, Intel Xeon Gold 6334, Intel Xeon Platinum 8351N, Intel Xeon Gold 6314U, Intel Xeon Silver 4310, Intel Xeon Gold 6210U, Intel Xeon E-2314, Intel Xeon E-2324G, Intel Xeon E-2334, Intel Xeon E-2374G, Intel Xeon E-2336, Intel Xeon Gold 6209U, Intel Xeon Gold 6210U, Intel Xeon Gold 6210U, Intel Xeon Silver
		4309Y, Intel Xeon Gold 5315Y, Intel Xeon Silver 4310T, Intel Xeon Gold 5317, Intel Xeon Silver 4314,

Specification	Specification Name/विशिष्टि का नाम	Intel Xeon Gold 6326, Intel Xeon Silver 4316, Intel Xeon Silver 4316, Intel Xeon Silver 4316, Intel Xeon Silver 4316, Intel Xeon Gold 5318Y, Intel Xeon Platinum 8362 Or higher
Chassis	Form Factor	Rack, Tower Or higher
	Size (RU)	1
Motherboard	Expansion Slots Gen 3 (PCIe x1)	0, 1, 2, 3, 4, 5, 6 Or higher
	Expansion Slots Gen 3 (PCIe x4)	0, 1, 2, 3, 4, 5 Or higher
	Expansion Slots Gen 3 (PCIe x8)	3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Expansion Slots Gen 3 (PCle x16)	2
	Maximum number of Sockets available on Server	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher
	If Yes, Maximum Number of Slots available for Co- Processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	If Yes, Maximum Number of slots populated with Co processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 89, 9, 10, 11, 12, 13, 14, 15, 16, 8 Or higher
	If Yes, Co Processor /GPU Description	NVIDIA Tesla P4 8GB, NVIDIA Tesla P40 24GB, NVIDIA Tesla V100 PCI-E 16GB, NVIDIA Tesla V100 SXM2 16GB, NVIDIA Tesla V100 PCI-E 32GB, NVIDIA Tesla V100 SXM2 32GB, NA, NVIDIA(R) Tesla(TM) T4 16GB, NVIDIA Tesla M10 Quad GPU Module, NVIDIA Quadro P6000 Graphics Accelerator, NVIDIA Quadro P4000 Graphics Accelerator, NVIDIA Tesla P40 24GB Computational Accelerator, NVIDIA Quadro RTX 6000 Graphics Accelerator, NVIDIA Tesla T4 16GB Computational Accelerator, NVIDIA Quadro RTX 4000 Graphics Accelerator, NVIDIA Quadro RTX 8000 Graphics Accelerator, NVIDIA Quadro P2200 Graphics Accelerator, NVIDIA Quadro P2200 Graphics Accelerator, NVIDIA Tesla V100S 32GB Computational Accelerator, NVIDIA Quadro RTX 5000 16GB Graphics Accelerator, NVIDIA Tesla A100 40GB PCIe based Accelerator, NVIDIA Tesla A100 40GB NVIink based Accelerator Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC
SSD Storage	Type of Interface for SSD	SATA
	Type of SATA SSD	Read Intensive
	SATA SSD Hot Swappable	Yes Or higher
	Type of SAS SSD	NA
	SAS SSD Hot Swappable	Yes, No, NA Or higher
	Type of NVMe SSD	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	NVMe SSD Hot Swappable	Yes, No, NA Or higher
HDD Storage	Type of Interface for Hard Disk Drive	NA
	SATA drive speed (hot plug or better) (RPM)	NA
	SAS drive Speed (Hot plug or better) (RPM)	NA
	NL SAS drive speed (hot plug or better) (RPM)	NA
RAID	RAID level	1, 5, 6, 1+0
	No of RAID Controller Ports	8 Or higher
	Speed of RAID Controller Ports (Gbps)	12 Or higher
	RAID Controller Cache (GB)	8 Or higher
Ports & Interfaces	Network Card Supported	1G, 10G
	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8 Or higher
	Whether Network Interface Card Embedded	Yes Or higher
	Total Number of Ethernet Ports required in Server	2x10G RJ 45, 2x1G
	Networking Interface Card Features	Asset Feature Tracking, Security Management, Remote Wake up
	Server Network Ports should Support SR-IOV Feature	Yes, No Or higher
	Server network ports should support DPDK and it should deliver zero packet loss as per RFC 2544 and deliver 100% line rate for all the packet sizes over 64 Bytes, Vendor to submit latest DPDK test report for the same	Yes, No Or higher
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Dual port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	vHBA Card Features Supported	Yes, No Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher

Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher
Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher
Length of Twinax Breakout Cables per Port (meter)	5, 10, 15, 0 Or higher
Video Controller (support VGA or above resolution)	Yes Or higher
Keyboard Port	Yes, No Or higher
Mouse Port	Yes, No Or higher
DVD ROM (Internal/Exrternal)	Yes, No Or higher
USB Ports (version 2point0/3point0)	4, 5, 6, 7, 8, 9, 10 Or higher
Total number of Spare Bays Available for Future Upgradation (Internal)	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 Or higher
Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux, Ubuntu, Cent OS, Debian, AIX
Certification/Compliance (Virtualization/Cloud Platform)	VM ware, HyperV, OpenStack, KVM
Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management
	Number of Ports per CNA card CNA Port Speed (Gbps) Length of LC-LC Cable per SFP+ Port (meter) Length of LC-LC Cable per HBA Port (meter) Length of LC-LC Cable per CNA Port (meter) Length of Twinax Breakout Cables per Port (meter) Video Controller (support VGA or above resolution) Keyboard Port Mouse Port DVD ROM (Internal/Exrternal) USB Ports (version 2point0/3point0) Total number of Spare Bays Available for Future Upgradation (Internal) Certifications/Compliance (OS) Certification/Compliance (Virtualization/Cloud Platform)

	cification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
		Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites., Automated infrastructure management for patch upgrades, version upgrades ,etc., Simplified management with analytics driven actionable intelligence., System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user-assigned attributes, Hardware Profile based deployment to multiple Servers simultaneously, Policy template for deployment of single policy to multiple Servers simultaneously, Platfrom inventory and helath status, Server utilization statistics collection (including firmware updates and diagnostic tools), Should provide an alert in case the system is not part of OEM hardware complatibilty test, Solution should be open and programmable providing Rest API, SDK for programming lanugaes like Python , power shell scripts etc., Should have customizable dashboard to show overall faults/health/inventory for all managed infrastructure the solution should provide option to create unique dashboards for individual users.the user should be flexibility to select name for dshasboards and widgets (viz. health, utilization etc), Real-time out-of-band hardware performance monitoring & alerting
		Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)
		Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hyperviser/ Operating System on predefined security breach, Secure /Automatic BIOS recovery, In case of any security breach system should provide the lock down feature
		Server scalability to be achived within the box & without adding nodes	Yes Or higher
		support for high availability clustering and virtualization	Yes Or higher
Generic		Redundant Power Supply	Yes Or higher
		Hot Swappable (Redundant Power Supply)	Yes Or higher
		Power Supply Efficiency	Platinum, Titanium, Bronze Or higher
		Redundant Fan	Yes Or higher
		Hot Swappable (Redundant Fan)	Yes Or higher
		Server Main Supply	230 +/- 10%Vac

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Miscellaneous	BIS Registration under CRS of MeitY	Yes
	Availability of the type test report from Central Government / NABL / ILAC acredited laboratory covering verification of all features & functional parameters & environmental tests sequence	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Raichel R	695035,Government Engineering College , Bartonhill, Kunnukuzhi,	1	45

Buyback Detail

Item Name	HP Blade Server		
Item Description	HP Blade Server - Proliant BL460c		
Serial No.	Proliant BL460c		
Model	HP Blade Server - Proliant BL460c		
Brand	НР		
Year of Manufacturing	2009		
Purchase On	2009-09-18		
Age	13		
Size	18 X 30		
Rating	1		
Quantity	1		
Unit	One		

Remark	HEIGHT -18 INCH, LENGTH -30 INCH		
Uploaded Image	View Uploaded Image		

Buyer Added Bid Specific Terms and Conditions/क्रत द्वारा

जोडी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

PRICIPAL
GOVERNMENT ENGINEERING COLLEGE
BARTON HILL
KUNNUKUZHY
PIN-695035

4. Buyback for Non PFMS / Non GPA

Buyback for Non PFMS/Non GPA:

- 1. GST will apply on the value of buyback and separate invoice is to be prepared by Government buyer/Consignee for buyback items offline outside the GeM system. Vendor should work out input credit for that GST applicable on the buy back while quoting the product/services.
- 2. Input GST Credit consideration by seller- seller shall offer the prices in the bid by the total amount of new goods including GST- total amount of old goods quoted by the firm excluding GST. This is because GST charged by buyer on buy-back value will be available for full ITC (input tax credit) on the hands of bidder. Therefore, for the purpose of quoting in the bid and evaluation, value as quoted by the bidder (excluding any GST on buy back) as indicated in column G below will be considered.

Illustrative examples for bidders are as under for understanding of the seller.

Excel sheet for explanation to Buyback ATC	

S.no	Cost of Fresh Good (A)	as considered	on Fresh	Buyback	Buyback items (E)	the time of invoice by	Quote of the Bidder (G= {A+C- D})
1	100	28	28	20	8	1.6	108
2	100	9	9	20	8	1.6	89
3	110	10	11	24	8	1.92	97

Seller after the award of the GeM contract, will indicate all column A to G which will not alter their quoted price indicated in Colum-G

- 3. Successful lowest bidder has to provide detailed cost break up of tendered items as well as buy back items separately after award of contract through email to the government buyer/consignee.
- 4. The seller of new item /service provider shall deposit the cost of invoiced buy back item with GST to the buyer for allowing seller to lift up the material from the buyer/consignee premise.
- 5. Transportation of buy back items from buyer premises shall be arranged by the seller itself without any extra cost.
- 6. Government Buyer organisation /consignee will issue invoice of buy back items to the seller at the cost of buyback to be indicated to the buyer by the seller offline after receipt of order. This in no case will modify the bid in any manner.
- 7. The seller will be entirely responsible for the safe disposal of old items without affecting the environment in any manner as per prevailing statutory rules and Act/ law of the land.
- 8. The seller may visit the site and inspect the condition of buy back item in advance before quoting for the bid.
- 9. Receipt of payment by the buyer for Old items and invoicing by buyer will be out of GeM portal.
- 10. Government Buyer will upload the details of old goods along with the bid in the corrigendum with minimum price.
- 11. If the minimum price (Optional) is indicated and sellers of new item who are not agreeing to take back the old item at equal to or above that minimum price should not participate in the bid.
- 12. In case they participate into the bid and afterwards indicates the price of old goods, less than the minimum price shown by Government Buyer in corrigendum, EMD of the bidder will be forfeited.
- 13. Item Details Consignee wise will be indicated in the corrigendum like -
 - 1. Consignee wise
 - 2. Item Description
 - 3. Serial Number
 - 4. Model
 - 5. Brand
 - 6. Year of manufacturing
 - 7. Purchased on
 - 8. Age
 - 9. Size, Rating, Designation
 - 10. Quantity
 - 11. Min price (Optional)

- 12. Unit
- 13. Working Guidelines (/Functional/Non-Functional)
- 14. Remarks
- 14. The successful bidder shall remove the old goods from the premise of the Government buyer/consignee at the time of the supply, installation and commissioning of fresh goods. Seller will be entitled for payment only after removal of old goods from Government buyer/consignee/user's premise and after supplying the fresh goods in terms of contract.
- 15. Note: This clause of ATC shall be operated by non PFMS; non GPA buyer i.e. all PSU working through their ERP and not integrated with GPA.

5. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. Warranty

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

7. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

8. Generic

IT equipment shall be IPv6 ready from day one.

9. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

10. Generic

Non return of Hard Disk: As per Buyer organization's Security Policy, Faulty Hard Disk of Servers/Desktop Computers/ Laptops etc. will not be returned back to the OEM/supplier against warranty replacement.

11. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

12. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

13. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---