

Notice Inviting E-Tender

E-Tender Reference No	: 6/2018-19 - P2/4184/17/GECBH/SN
E-Tender ID	: 2019_DTE_270504
Superscription	: Retender for Purchase of Sports Goods and Equipments in Government Engineering College, Bartonhill
Last Date & Time of Receipt of E- Tenders (online – www.etenders.kerala.gov.in)	: 8/03/2019 , 6.55 pm.
Date & Time of opening of E-Tender	: 11/03/2019 , 9 am
Date up to which the rates are to be firm	90 Days from the date of opening tender.
Cost of E-Tender	Rs.11,800/-.(Tender fee Rs.10000+Rs.1800/- GST @18%) (Online remittance).
EMD Required	Rs.50,000/- (Online remittance).
Address of the Officer to whom communications are to be sent	THE PRINCIPAL GOVT.ENGINEERING COLLEGE, BARTON HILL ,THIRUVANANTHAPURAM KERALA Mob-9400006408.(Principal) Mob-9446345312(Accounts Officer) Mob-9447775816(Purchase Superintendent) Mob-8129194870(Purchase Section Clerk) Ph-04712780121(Purchase Section) Ph-04712780118 (Purchase P2 Section) Email- purchase.gecbh@gmail.com
List of Items to be Supplied	Detailed specification enclosed below or visit www.etenders.kerala.gov.in http://www.gecbh.ac.in http://www.dtekerala.gov.in

General Terms and Conditions

Note: The dates furnished above are subject to revision.

- i. Any defects in specification/tender called for should be notified by Bidder to Tender Inviting authority when NIT is called for. Complaints if any given by Bidders regarding specification after Technical Evaluation is completed and published is not entertained. Bidders who had previously participated in the E-Tender Reference No 3/2018-19 - P2/4184/17/GECBH/SN are given one time exemption from Tender Form Cost for retender.
- ii. This tender document is not transferable. Tender Documents shall be available only on E-Tender Website and will not be available for sales elsewhere.
- iii. GECBH reserves the right to amend or cancel the tender in part or in full without prior notice at any point of time.
- iii. If GECBH deems it appropriate to revise any part of this NIT or to issue additional data to clarify an interpretation of provisions of this NIT, it may issue supplements to this NIT. Any such supplement shall be deemed to be incorporated by this reference to this NIT.
- iv. GECBH reserves the right to reject the bid of parties who have failed to provide adequate after sales support for the products supplied against various orders to other Government institutions, and for irregular or non standard equipments supplied earlier, such suppliers will not be considered for the subsequent tenders
- v. Bidder/Supplier shall upload original specification compliant product brochure details, OEM certificate, OEM distributor/supplier certificate are to be uploaded in the E-Tender website as per the order/bid offered.
- vi. LD will be charged for delayed supply. Furthermore, if the delay exceeds 4 weeks after the scheduled date of supply, such suppliers will not be considered for the subsequent tenders. If the supplier is unable to supply due to various reasons after receipt of supply order, it may be urgently intimated to Purchase section via concerned department for which supply was issued so as to enable the purchase section to give supply order to the next eligible firm.
- vii. The Special Instructions to the Contractors/Bidders for the e-submission of the bids are given under "Help to Contractors" in website <http://etenders.kerala.gov.in/nicgep/app>
- viii. **e-Tender tax rate is 18%**. The firm bidding for E Tender must **pay the GST on reverse charge basis while filing his returns**. The supplier of services may **claim the input tax credit** on the amount of tax paid under reverse charge mechanism subject to the **provisions of Input Tax Credit Rules**. Source- <http://keralataxes.gov.in/2017/08/21/faq-for-government-departmentslocal-authorities-and-other-line-departments/>
- ix. The "Seller(s)" / Bidders on eProcurement System will be the OEMs (Original Equipment Manufacturers) and/or their authorized channel partner(s)/ resellers (having any general authorization / dealership of the OEM to sell their product in open market)

Specific Terms & conditions for E-Tender.

1	The tenderer should compulsorily superscribe the name and number of tender as well as their own name, on the E-Tender Bid documents uploaded/ envelopes containing the physical tenders for information. Hard copies ,if any of the tender documents shall be submitted before the date of opening of tenders.. Bidders are requested to quote E-Tender Reference No , Subject compulsorily in all soft copy/physical hard Copy forwarded and all correspondences through email/physical mail/phone.
2	The price quoted should be inclusive of all taxes, freight charges, transportation, loading, unloading charges, installation etc. The rates are to be firm for Days specified in the E-Tender called for from the date of opening E- tender.
	5% Security Deposit by Bank Guarantee/ Bank FD/ Kerala Government Treasury Savings Bank (Fixed Deposit preferred)along with Two Hundred Rupees Kerala Stamp Paper

3	<p>agreement should be furnished within a month/fortnight from the date of receipt of supply order. It should also be noted that of the 5% Security Deposit requested ie 25% of the 5% should be compulsorily in the form of Kerala Government Treasury Deposit as per mandated in G.O(P)No.104/2014/Fin Dated - 14/03/2014.You are requested to contact Purchase Section,Administrative Office for further information. Hence you are instructed to open a Kerala Government Treasury Account if you are chosen as a Supplier for the above E-Tender.</p>
4	<p>Delivery @ Concerned Department at Government Engineering College, Bartonhill, Thiruvananthapuram with prior intimation of delivery to Department HOD/Purchase Section.The maximum time limit that can be availed by the supplier is 60 days with prior communication of the same Purchase section through your letter/email via Concerned Department which requires the equipments. Late delivery will be charged for delivery of the items after the said time limit of 60 days. Department HOD have been instructed to communicate to Purchase Section if delivery of the product is not done within the specified date / intimate to Purchase Section the request for extension of Supply Order date, if any is received from firm. if request for extension is not received/recommended through concerned Department , the supplier is liable to pay LD charge as per the revised Store Purchase Manual.</p>
5	<p>Payment – Only after the satisfactory supply and installation/commissioning. Invoice(3 numbers) for Supply Order generated should contain E-Tender reference number & GST registration Number of College- 32TVDG02719D1DX. Government Engineering College ,Barton Hill is not making any taxable supply of goods and/or services, it is required to register only as a deductor of tax at source on the basis of TAN/PAN. The transactions liable for TDS ? All transactions where the total value of a taxable supply received under a contract exceeds Two lakh and Fifty thousand rupees (excluding GST). For the purpose of deciding TDS liability, the whole contract amount is to be reckoned, irrespective of individual periodic payments and TDS is to be deducted for such individual periodic payments.</p>
6	<p>Preliminary Agreement is no longer required to be prepared in Kerala Stamp Paper worth ₹200/- and uploaded/ produced along with E-Tender documents as it has been made non-mandatory as per Letter No.56423/Ind&PW.B2/15/Fin,Dated 10/08/2015 from Additional Chief Secretary Finance to The Director ,Kerala State IT Mission. Kerala Stamp Paper worth ₹200 Agreement is mandatory for firms who have been given Supply Order only.</p>
7	<p>All amount payable is through Online remittance only</p>
8	<p>Date of Opening- If the opening date is declared as a holiday the tenders will be opened on the next working day.</p>
09	<p>Tender documents are to be up loaded through E- tendering system. Tender Form cost ,GST @18 %, EMD should be remitted through net banking(Electronics Transfer only)</p>
10	<p>Warranty - Minimum 3 years or above with all inclusive warranty for all equipments supplied with further coverage with AMC.</p>

Sd/-
Dr.Anil Lal.S
Principal

Advanced Sports Performance Components and Enhancement Equipments			
SI No	CARDIOVASCULAR- EQUIPMENTS (A)	Quantity required	Unit
	Name of the equipments with specification		
01	<p>AC MOTORISED TREADMILL</p> <ul style="list-style-type: none"> • Scope of Application HEAVY COMMERCIAL 24 x 7. • Motor: AC 4 HP Continuous, 10.5 HP Peak Duty. • Electric Incline: 16 Levels .Running Surface: 21"W x 63" L. • Machine Weight not less than: 190kg. • .MaxUserweight:200kg. • Speed: up to 20 km/hr. • .Input:230V.50 Hertz • Display: Custom 5 Window LED Display. • Self tracking roller to keep the running belt centred. • Emergency Stop Button with Safety Tether & Clip. • Durable Handles offer soft tactile feel for comfort & safety. • Full Commercial Running Belt with patented anti-static Deck. • Double side usable deck. • Rear lubricant ports to simplify Running Belt and Deck maintenance. • Belt: Specially designed, for Slippery prevention antistatic belt. • Roller: 76mm, self tracking roller to keep the running belt centered. • Main handle: double injected Urethane foam. • Convenience function: Oil inlet, belt auto tension. • Absorption system: Triple fold shock absorption system. • USB Port to recharge portable devices. Should have Wireless Mobile recharge function. Display exercise info: time, distance, calories, speed, incline, heart rate. • Minimum 4 Exercise mode and 3 User Mode programs, Wireless HEART RATE Measuring facility <ul style="list-style-type: none"> • Dimension (Minimum) :- (LxWxH) 211 x 92 x 149 cm. • Country of Origin Certificate copy to be attached. 	5	No's
02	<p>NEW RECLINE 500 (RECUMBENT BIKE)</p> <ul style="list-style-type: none"> • Walk Through Model. • Heavy Commercial model • Display: 24 x 16 Dot Matrix LED 16 Segment Alpha Numeric. • Electrical self-contained power supply. • Touch type heart rate monitoring system and polar system. • Quiet and smooth roller drive system. • Easy to use wide display Ergonomic-design. • Heavy duty, be • Resistance level: 1 to 20 Levels Resistance. • Source: Self. • Display: Time, Distance, Calorie , Speed , RPM , Strides , 	01	No

	<p>Watts , METS , Heart Rate , Exercise Result . Programs: Manual , Warm Up , Total Limit , Auto Pilot , Interval , Alpine , HRC , Fit along with minimum 3 User program.</p> <ul style="list-style-type: none"> Assembled dimensions Minimum: 770(W) x 1700(L) x 1,430(H) mm. Product Net Weight Minimum 95 Kg User Weight up to 180 kg. Country of Origin Certificate copy to be attached. 		
STRENGTH- EQUIPMENTS (B)			
03	<p>ABDOMINAL CRUNCH (ABDOMINAL MACHINE)</p> <ul style="list-style-type: none"> Main frame made of 100 mm L x 50 mm W x 2.5 mm thick steel pipes along with 50mm x 50mm X 2.5 mm Thick Steel ascend pipes . Elbow pads and large handles providing stabilization. Foot pads designed for easy start and finish of workout 10-steps gas shock absorber type seat position adjustment. ABS material both-side stack fully covered cover. Injected Core Seat. Product Weight: Minimum-246Kg (542lb). Stack Weight: 100kg (220lb) Minimum Dimensions: W 1.284 x L 1,246 x H 1,506 mm (50.6"x49.1"x59.3"). Country of Origin Certificate copy to be attached. 	01	No
04	<p>LEG CURL (SINGLE STATION LEG CURL)</p> <ul style="list-style-type: none"> Main frame made of 100 mm L x 50 mm W x 2.5 mm thick steel pipes along with 50mm x 50mm X 2.5 mm Thick Steel ascend pipes . Push-button pivot motion applied to Suit variety of users 10-steps gas shock absorber type seat position adjustment Biomechanically improved angled seat and backrest for muscle contraction ABS material both-side stack fully covered cover Injected Core Seat. Minimum Dimensions: W 997 x L 1,515 x H 1,506mm (39.3"x59.7"x59.3"). Minimum Product Net Weight: 245kg. Stack Weight: 100kg (220lb). Country of Origin Certificate copy to be attached. 	01	No
05	<p>PECTORAL (DUAL STATION PEC – DELTOID)</p> <ul style="list-style-type: none"> Main frame made of 100 mm L x 50 mm W x 2.5 mm thick steel pipes along with 50mm x 50mm X 2.5 mm Thick Steel ascend pipes . Independent movement of handles to provide variety of exercise. 10-steps gas shock absorber type seat position .adjustment. ABS material both-side stack fully covered cover. Injected Core Seat. 	01	No

	<ul style="list-style-type: none"> • Minimum Dimensions: W1.280 x L 1,010 x H 1,950 mm (50.4"x39.8"x76.8"). • Minimum Product Weight: 250Kg). • Stack Weight: 100kg (220lb) • Country of Origin Certificate copy to be attached. 		
06	<p>EASY CHIN DIP (DUAL STATION ASSISTED CHIN DIP)</p> <ul style="list-style-type: none"> • Main frame made of 100 mm L x 50 mm W x 2.5 mm thick steel pipes along with 50mm x 50mm X 2.5 mm Thick Steel ascend pipes. • Rotating handles. • Dual chinning handles . • Knee pads designed for easy start and finish of workout. • ABS material both-side stack cover. • Injected Core Seat. • Dimensions: Minimum W 1,137 × L 1,318 × H 2,273mm (44.7×51.8"×89.4"). • Minimum Product Weight: 255kg. • Stack Weight: 75kg (165lb). • Country of Origin Certificate copy to be attached. 	01	No
07	<p>MULTIPOWER (DUAL STATION MULTI PRESS)</p> <ul style="list-style-type: none"> • Main frame made of 100 mm L x 50 mm W x 2.5 mm thick steel pipes along with 50mm x 50mm X 2.5 mm Thick Steel ascend pipes . • Biomechanically improved handle angle for muscle contraction • Start bar to adjust the start position . • 10-steps gas shock absorber type seat position adjustment • ABS material both-side stack fully covered cover • Injected Core Seat • Dimensions: Minimum W1.421 x L 1,439 x H 1,619 mm (56"x56.7"x63.7") • Minimum Product Weight: 240Kg (529lb) • Stack Weight: 100kg (220lb) • Country of Origin Certificate copy to be attached. 	01	No
08	<p>HORIZONTAL BENCH (FLAT GYM BENCH)</p> <ul style="list-style-type: none"> • Integrated wheels . • Main frame made of 100 mm L x 50 mm W x 2.5 mm thick Capsule shaped steel pipes • With 3-point contact . • Injected Core Seat OR Dura Firm Padded Non-tearable Upholstery • Minimum Dimensions: W 660 x L 1,300 x H 430 mm • Minimum Product Net Weight: 30Kg (44lb) 	01	No
	SCOTT BENCH		

09	<ul style="list-style-type: none"> • improved, declined elbow pad and comfort seat for users. • Main frame made of 100 mm L x 50 mm W x 2.5 mm. thick Capsule shaped steel pipes. • Minimum 10 Step gas shock absorber type seat position adjustment. • Injected Core Seat OR Dura Firm Padded Non tearable Upholstery. • Dimensions (Minimum): W790 x L948 X H1000 mm (31.1"x37.3"x40"). • Minimum Product Weight: 45Kg. 	01	No
10	<p>4 USES BENCH (ADJUSTABLE FLAT / INCLINE / DECLINE BENCH)</p> <ul style="list-style-type: none"> • Improved, declined elbow pad and comfort seat for users. • Made of Heavy Gauge 100 mm Breadth x 50 mm W x 3 mm Thick Steel Main Frame pipe. • Minimum 10 Step gas shock absorber type seat position adjustment. • Injected Core Seat OR Dura Firm Padded Non tearable Upholstery. • Dimensions (Minimum): W790 x L948 X H1000 mm (31.1"x37.3"x40"). • Minimum Product Weight: 45Kg. • Country of Origin Certificate copy to be attached. 	01	No
11	<p>BARBELL RACK</p> <ul style="list-style-type: none"> • Heavy 50 mm x 50 mm 11 gauge Capsule shaped steel frames. • High density rubber foot stabiliser. • 5 No's of Olympic rod holders on each side... • Dimension Minimum 1300 L x 700 W x 950 H mm. • Product Net Weight minimum 40 kg. 	01	No
12	<p>DISKS RACK</p> <ul style="list-style-type: none"> • Heavy 80 mm x 50 mm 11 gauge Capsule steel frames. • High density rubber foot stabiliser. • 7 No's of Olympic Plate holders Horns. • Minimum Dimension 1100 H x 880 W X 780 L in mm. • Net Weight – 48 kg. 	03	No's
13	<p>LOWER BACK BENCH</p> <ul style="list-style-type: none"> • Solid non-skid EP rubber pad • Handles and height adjustment pin . • Made of Heavy Gauge 100 mm Breadth x 50 mm W x 3 mm Thick Steel Capsule shaped Main frame pipe • Injected Core Seat or Dura firm padded upholstery minimum 2 inch thick • Dimensions: Minimum - W 620 x L 1650 x H 620 mm. • Product Net Weight: 55 Kg. 	01	No
	<p>CRUNCH BENCH</p> <ul style="list-style-type: none"> • Heavy 100 mm x 50 mm 11 gauge Capsule shaped steel 		

14	<p>frames.</p> <ul style="list-style-type: none"> • Dura firm Padded upholstery minimum 2 inch thick . • High density rubber foot stabiliser. • Dimensions: Minimum - W 620 x L 1650 x H 620 mm. • Product Net Weight: 55 Kg. 	01	No
15	<p>DUMBBELL RACK</p> <ul style="list-style-type: none"> • 3 Tier Dumbbell Rack. • Heavy 100 mm x 50 mm 11 gauge Capsule shaped steel frames. • Should have Concave shaped Plastic holder to hold each dumbbells . • High density rubber foot stabiliser. • Dimension Minimum - 2250 mm L X 95 mm H x 75 mm W 	01	No
FLEXIBILITY- EQUIPMENTS			
16	<p>FLEXIBILITY ANTERIOR (SINGLE STATION INNER THIGH)</p> <ul style="list-style-type: none"> • Main frame made of 100 mm L x 50 mm W x 2.5 mmthick steel pipes along with 50mm x 50mm x 2.5 mm thick Steel ascend pipes . • Thigh pads available Inner motion with extra smooth movement. • Spring lever with selecting motion start location and range of movement. • Biomechanically Angled seat and backrest • ABS material both-side stack fully covered cover. • Injected Core Seat. • Dimensions: Minimum - W 850 x L 1,546 x H 1,565 mm (33.5"x60.1"x61.6"). • Minimum Product net Weight: 255Kg. • Stack weight: 100kg (220lb). • Country of Origin Certificate copy to be attached. 	01	No
17	<p>FLEXIBILITY POSTERIOR (DUAL STATION OUTER THIGH)</p> <ul style="list-style-type: none"> • Main frame made of 100 mm L x 50 mm W x 2.5 mm thick steel pipes along with 50mm x 50mm x 2.5 mm thick Steel ascend pipes . • Thigh pads for Smooth Outer motion • Spring lever with selecting motion start location and range of movement • Biomechanically Angled seat and backrest. • ABS material both-side stack fully covered cover • Injected Core Seat • Dimensions: minimum W 850 x L 1,546 x H 1,565 mm (33.5"x60.1"x61.6") • Minimum Product net Weight: 255Kg • Stack weight: 100kg (220lb) • Country of Origin Certificate copy to be attached 	01	No



Training Gadgets (D)

18	<p>PORTABLE VOLLEYBALL STAND</p> <ul style="list-style-type: none"> • 5 inch square heavy gauge Steel pipe. • Heavy duty Rack set along with 100 mm bearing wheel to tighten the net • 2 bearing wheels / Pulleys for variable height system • Minimum 60 Kg Cast Iron counter weight per post for stability along with heavy duty wheels for transportation. • Total product weight of single post not less than 75Kg (Including Counter weight]. • ISO Certified company product. • OEM Certificate with ISO Certificate to be furnished 	01	Set
19	<p>PORTABLE BADMINTON STAND</p> <ul style="list-style-type: none"> • Made 4 inch square heavy gauge pipe. • Heavy duty Rack set along with 75 mm bearing wheel to tighten the net. • Minimum 30 Kg Cast Iron counter weight per Post for stability along with heavy duty wheels for transportation. • Total product weight of single post not less than 40 Kg including counter weight. • ISO Certified company product. • OEM Certificate with ISO Certificate to be furnished. 	01	Sets
20	<p>BADMINTON FEEDER MACHINE</p> <ul style="list-style-type: none"> • Full-functions with fully remote control system • photoelectric sensors for any shuttlecock (nylon , plastic and feather). • Continuous training 200-220 Shuttles challenge the limit. • Voltage: AC 230V,DC:12V • Speed: 20-140km/hours. • Frequency: 1.2-6 seconds. • Elevation: automatic by remote control. • Horizontal: automatic by remote control. • Shooting direction: External. • Lifting: 20-70cm. • Weight:Minimum 28kg. • Volume : Minimum 0.3CBM 	01	1No
	<p>PORTABLE BASKETBALL STAND</p> <ul style="list-style-type: none"> • Made as per FIBA Standards Basket Ball Post with double die made of heavy gauge Steel powder coated structural frame and proper reinforcement. 		

21	<ul style="list-style-type: none"> • Made from heavy gauge 5 inch x 5 inch Steel, main frame with 5 inch x 2.5 inch Structural pipes and 2.5 inch x 2.5 inch ascend / other pipes All pipes are 2.5 mm thick heavy gauge. • The structural base size to be not less than 1.8 mtr L x 1 mtr width. • From Board to the Centre of Post Projection Should be : 3.25 Meter. • Base Plate: Material: 12mm and 20mm steel channel. • Foldable model with Hydraulic assisted back stop that makes folding and unfolding easier. • Piston type Hand pumped hydraulic method for easy Folding and unfolding of the entire System. • minimum 400 kg counter balanced weight stacks of Cast Iron powder coated blocks each 25 kg. • Built in no harm heavy duty floor wheels for easy transportation. • Bottom base surrounds with heavy duty fabric & padded with foam of minimum 2 inch thickness. • Tempered Acrylic 25 mm thick back board encased in a frame. • 3 spring mechanism dunkingring and Knot less net. <p>Acrylic back board 25 mm thick & 1.80 m x 1.05 m .</p> <ul style="list-style-type: none"> • ISO Certified company product. • OEM Certificate with ISO Certificate to be furnished. 	01	Sets
----	--	----	------

TERMS AND CONDITIONS OF DEPARTMENT.

1. **All items should carry a minimum all inclusive Warranty for 3 Years.**
2. **All items should have Periodical maintenance service at least once in 3 month for the warranty period and during the AMC period**
3. **Any Break down service to be attended within 48 hours from the time of reporting during warranty period and during AMC period.**
4. **Country of Origin Certificate to be furnished for Machines specifically mentioned in the Tender.**
5. **For all Products OEM certificate along with Valid ISO Certificate copies to be furnished.**
6. **Product brochure with detailed specification to be uploaded failing which tender will be rejected.**
7. **Supply order details to the government institutions during the last 3 year to be furnished.**
8. **Letter of satisfactory performance of equipments and service provided to the government firms supplied is to be furnished.**
9. **Annual turnover should be minimum Rupees 3 crores.**
10. **Service centre should be within Kerala preferably, in "Trivandrum".**
11. **Site visit / demo to be provided on demand for all quoted products and if found not satisfactory, bidders will be eliminated from technical qualification.**

 Kerala Tenders		eTendering System Government of Kerala																
Tender Details																		
			Date : 26-Feb-2019 04:17 PM															
 Print																		
Basic Details																		
Organisation Chain	Directorate of Technical Education Govt Engineering College Barton Hill																	
Tender Reference Number	6/2018-19 - P2/4184/18/GECBH/SN																	
Tender ID	2019_DTE_270504_1																	
Tender Type	Open Tender	Form of contract	Supply and Service															
Tender Category	Goods	No. of Covers	2															
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	Yes															
Payment Mode	Online	Is Multi Currency Allowed For BOQ	No															
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No															
Payment Instruments		Cover Details, No. Of Covers - 2																
Online Bankers	<table border="1"> <thead> <tr> <th>S.No</th> <th>Bank Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SBI MOPS</td> </tr> </tbody> </table>	S.No	Bank Name	1	SBI MOPS	<table border="1"> <thead> <tr> <th>Cover No</th> <th>Cover</th> <th>Document Type</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Fee/PreQual/Technical</td> <td>.pdf</td> <td>technical cover</td> </tr> <tr> <td>2</td> <td>Finance</td> <td>.xls</td> <td>financial cover</td> </tr> </tbody> </table>	Cover No	Cover	Document Type	Description	1	Fee/PreQual/Technical	.pdf	technical cover	2	Finance	.xls	financial cover
S.No	Bank Name																	
1	SBI MOPS																	
Cover No	Cover	Document Type	Description															
1	Fee/PreQual/Technical	.pdf	technical cover															
2	Finance	.xls	financial cover															
Other Important Documents																		
S.No	Category	Sub Category	Sub Category Description	Format/File														
1	Certificate Details	Permanent Account Number	Permanent Account Number															
2	Certificate Details	Registration Certificate	Registration Certificate															
3	Certificate Details	Bidders Address Format	Bidders Address Format															
4	Certificate Details	Income Tax Certificate	Income Tax Certificate															
5	Financial Details	Annual Turn Over Details	Annual Turn Over Details															
6	Financial Details	Bankers Details	Bankers Details															
7	Machinery Details	Machinery Details	Machinery Details															
8	Machinery Details	Machinery Details 1	Machinery Details 1															
9	Miscellaneous	Miscellaneous Docs	Miscellaneous Docs															
10	Miscellaneous	Work Completed Certificate Copies	Work Completed Certificate Copies															
11	Miscellaneous	Company profile	Company profile															
12	Miscellaneous	Tender documents	Tender documents															
13	Work Details	Existing Commitments Details	Existing Commitments Details															
14	Work Details	Quantity of Work Done Details	Quantity of Work Done Details															
15	Work Details	Principle place of Business	Proposed SubContractors Details															
16	Work Details	Existing Work Order Commitment	Ongoing Work Order Details with percentage of work completed															
Tender Fee Details, [Total Fee in ₹ * - 10,000]		EMD Fee Details																
Tender Fee in ₹	10,000	EMD Amount in ₹	50,000															
Fee Payable To	online ie Rs 1800 GST to be paid on	EMD Exemption Allowed	Yes															
Fee Payable At	reverse charge basis while filing his returns	EMD Fee Type	fixed															
	Yes	EMD Percentage	NA															
		EMD Payable To	online															
		EMD Payable At	online															

Tender Fee Exemption Allowed	
-------------------------------------	--

Work /Item(s)

Title	Retender for Purchase of Sports Goods and Equipments in Government Engineering College,Bartonhill				
Work Description	Purchase of Sports Goods and Equipments in Government Engineering College,Bartonhill				
Pre Qualification Details	Please refer Tender documents.				
Independent External Monitor	NA				
Tender Value in ₹	50,00,000	Product Category	Equipments	Sub category	Sports and fitness equipments
Contract Type	Tender	Bid Validity(Days)	180	Period Of Work (Days)	15
Location	Physical Education Department	Pincode	695035	Pre Bid Meeting Place	NA
Pre Bid Meeting Address	NA	Pre Bid Meeting Date	NA	Bid Opening Place	Administrative Office
Should Allow NDA Tender	No	Prequalification Approval Date	NA	Allow Preferential Bidder	No

Critical Dates

Publish Date	26-Feb-2019 06:55 PM	Bid Opening Date	11-Mar-2019 09:00 AM
Document Download / Sale Start Date	26-Feb-2019 06:55 PM	Document Download / Sale End Date	08-Mar-2019 06:55 PM
Clarification Start Date	NA	Clarification End Date	NA
Bid Submission Start Date	26-Feb-2019 06:55 PM	Bid Submission End Date	08-Mar-2019 06:55 PM

Tender Documents

NIT Document	S.No	Document Name	Description	Document Size (in KB)
	1	gecbhEtenderformfinal.pdf	Standard Bid Document as per NIT	871.09
	2	Tendernotice_1.pdf	Notice inviting E-Tender.	119.46

Work Item Documents	S.No	Document Type	Document Name	Description	Document Size (in KB)
	1	BOQ	BOQ_368869.xls	price bid for bidders	258.00

Bid Openers List

S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name
1.	manumanappally@gmail.com	Manumohan mohan	MANUMOHAN
2.	minianil.s7@gmail.com	Mini S	MINI S
3.	sreelatha.vg1967@gmail.com	Sreelatha V G	V G SREELATHA
4.	kapstvm@gmail.com	Kapil Sreedhar	KAPIL SREEDHAR

Tender Inviting Authority

Name	The Principal
Address	GOVT.ENGINEERING COLLEGE, BARTON HILL ,THIRUVANANTHAPURAM KERALA Mob-9400006408

Tender Creator Details

Created By	Kapil Sreedhar
Designation	Clerk
Created Date	22-Feb-2019 02:55 PM